



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/526,141

02/28/2005

Gerard Stevens

RANT 3207

2513

7812 7590 02/11/2008
SMITH-HILL AND BEDELL, P.C.
16100 NW CORNELL ROAD, SUITE 220
BEAVERTON, OR 97006

EXAMINER

WAGGONER, TIMOTHY R

ART UNIT

PAPER NUMBER

3651

MAIL DATE

DELIVERY MODE

02/11/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/526,141	Applicant(s) STEVENS, GERARD	
	Examiner TIMOTHY R. WAGGONER	Art Unit 3651	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 December 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 11-14, 16, 18 and 20-32 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 23-32 is/are allowed.
- 6) ☒ Claim(s) 4, 11, 16, 18 and 20-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Allowable Subject Matter

Claims 23-32 are allowed over the present prior art of record.

The indicated allowability of dependent claim 19 and subsequently claim 11 is withdrawn in view of the newly made rejections based on 103 case law. Rejections based on the newly cited reference(s) follow.

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 11,12,14,18 and 21 rejected under 35 U.S.C. 103(a) as being unpatentable over Lum et al. USPN 6,660,018.

Lum disclose a device comprising:

(Re claim 11) “a base and a side wall defining a cavity ... a rim” (14,21,23 figure 2). “a projection” (22 figure 2). Lum does not disclose specific values for the cup or projections. However, one of ordinary skill in the art is expected to routinely experiment with the parameters, especially when the specifics are not disclosed, so as to ascertain the optimum or workable ranges for a particular use. Accordingly, it would have been obvious through routine experimentation and optimization, for one of ordinary skill in the art to arrive at the values claimed for the cup and projections.

(Re claim 12) “projection is constructed as an upwardly directed blade” (22 figure 2)

(Re claim 14) Lum does not disclose being made by a one piece plastic molding process.

However product by process language in an apparatus claim does not further limit the apparatus itself. Therefore claim 14 stands rejected.

(Re claim 18) "cup is gently upwardly divergent" (23 figure 2).

(Re claim 20) "upper end of the projection is convex" (12 figure 1C).

(Re claim 21) Lum does not disclose specific values for the projection. However, one of ordinary skill in the art is expected to routinely experiment with the parameters, especially when the specifics are not disclosed, so as to ascertain the optimum or workable ranges for a particular use. Accordingly, it would have been obvious through routine experimentation and optimization, for one of ordinary skill in the art to arrive at the values claimed for the projection.

Claims 13 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lum in view of Pitesky USPN 5,931,794.

Lum discloses multiple individual teeth spaced radially.

Lum does not disclose a single serrated projection or that said serrations are spaced across a diameter.

Pitesky teaches a single serrated projection with teeth spaced apart along a diameter.

It would be obvious to one skilled in the art to modify the projection of Lum to be a single serrated projection with teeth along a diameter because a single project is more ridged than multiple individual points.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TIMOTHY R. WAGGONER whose telephone number is (571)272-8204. The examiner can normally be reached on Mon-Thu 8am-2pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Crawford can be reached on (571) 272-6911. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TRW

/Gene Crawford/
Supervisory Patent Examiner, Art
Unit 3651

Application/Control Number: 10/526,141
Art Unit: 3651

Page 5